Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/21/2002	BCS00010151	0.00	2.50	Start drilling with 14" staged bit at 0818. Collected 1/4 split sample & injected H2O. Fine sand. Caliche rind on gravels.
2/21/2002	BCS00010152	2.50	5.00	Collected 1/4 split sample & injected H2O. Caliche rind on gravels.
2/21/2002	BCS00010153	5.00	7.50	Collected 1/4 split sample & injected H2O. Caliche rind on gravels.
2/21/2002	BCS00010154	7.50	10.00	Collected 1/4 split sample & injected H2O. Slower drilling rate. Caliche rind on gravels.
2/21/2002	BCS00010155	10.00	12.50	Collected 1/4 split sample & injected H2O. Slower drilling rate.
2/21/2002	BCS00010156	12.50	15.00	Collected 1/4 split sample & injected H2O. Slower drilling rate.
2/21/2002	BCS00010157	15.00	17.50	Collected 1/4 split sample & injected H2O. Slower drilling rate.
2/21/2002	BCS00010158	17.50	20.00	Collected 1/4 split sample & injected H2O. Slower drilling rate.
2/21/2002	BCS00010159	20.00	22.50	Collected 1/4 split sample & injected H2O. Slower drilling rate. Set 10 3/4" casing with bottom at 15.06'.
2/21/2002	BCS00010160	22.50	25.00	Used riffle splitter with cyclone with no split.
2/21/2002	BCS00010161	25.00	27.50	Cyclone, riffle splitter - no split.
2/21/2002	BCS00010162	27.50	30.00	Cyclone, riffle splitter - no split.
2/21/2002	BCS00010163	30.00	32.50	Cyclone, riffle splitter - no split. Grading does not apply to SM.
2/21/2002	BCS00010164	32.50	35.00	Cyclone, riffle splitter - no split. Grading does not apply to SM.
2/21/2002	BCS00010165	35.00	37.50	Cyclone, riffle splitter - no split.
2/21/2002	BCS00010166	37.50	40.00	Cyclone, riffle splitter - no split.
2/21/2002	BCS00010167	40.00	42.50	Cyclone, riffle splitter - no split.
2/21/2002	BCS00010168	42.50	45.00	Splitter set for 50/50 split.
2/21/2002	BCS00010169	45.00	47.50	Splitter set for 50/50 split.
2/21/2002	BCS00010170	47.50	50.00	Splitter set for 50/50 split.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/21/2002	BCS00010171	50.00	52.50	Splitter set 50/50.
2/21/2002	BCS00010172	52.50	55.00	Splitter set 50/50.
2/21/2002	BCS00010173	55.00	57.50	Splitter set 50/50.
2/21/2002	BCS00010174	57.50	60.00	Splitter set 50/50. Rock flour. Condition and stabilize hole from 15 - 60' with bentonite on 2-22-02. Grading does not apply to SM.
2/22/2002	BCS00010175	60.00	62.50	No split of sample. Sample moist from conditioning.
2/22/2002	BCS00010176	62.50	65.00	No split of sample.
2/22/2002	BCS00010177	65.00	67.50	Splitter set 50/50.
2/22/2002	BCS00010178	67.50	70.00	Splitter set 50/50.
2/22/2002	BCS00010179	70.00	72.50	Splitter set 50/50.
2/22/2002	BCS00010180	72.50	75.00	Rock flour.
2/22/2002	BCS00010181	75.00	77.50	50% split.
2/22/2002	BCS00010182	77.50	80.00	50% split.
2/22/2002	BCS00010183	80.00	82.50	50% split.
2/22/2002	BCS00010184	82.50	85.00	50% split.
2/22/2002	BCS00010185	85.00	87.50	50% split. Grading does not apply to SM.
2/22/2002	BCS00010186	87.50	90.00	No split.
2/22/2002	BCS00010187	90.00	92.50	No split.
2/22/2002	BCS00010188	92.50	95.00	50% split.
2/22/2002	BCS00010189	95.00	97.50	No split.
2/22/2002	BCS00010190	97.50	100.00	No split.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/22/2002	BCS00010191	100.00	102.50	Condition hole with mud from 15 - 100'. No split.
2/22/2002	BCS00010192	102.50	105.00	No split.
2/22/2002	BCS00010193	105.00	107.50	50% split.
2/22/2002	BCS00010194	107.50	110.00	No split.
2/22/2002	BCS00010195	110.00	112.50	50% split.
2/22/2002	BCS00010196	112.50	115.00	No split.
2/22/2002	BCS00010197	115.00	117.50	50% split.
2/22/2002	BCS00010198	117.50	120.00	50% split.
2/22/2002	BCS00010199	120.00	122.50	50% split.
2/22/2002	BCS00010200	122.50	125.00	Harder drilling. 50% split.
2/22/2002	BCS00010201	125.00	127.50	Hard drilling. 50% split.
2/22/2002	BCS00010202	127.50	130.00	Hard drilling. 50% split.
2/22/2002	BCS00010203	130.00	132.50	Hard drilling. 50% split.
2/22/2002	BCS00010204	132.50	135.00	No split.
2/22/2002	BCS00010205	135.00	137.50	No split.
2/22/2002	BCS00010206	137.50	140.00	50% split.
2/22/2002	BCS00010207	140.00	142.50	50% split.
2/22/2002	BCS00010208	142.50	145.00	No split.
2/22/2002	BCS00010209	145.00	147.50	Ravelly driling - hole tight. Condition hole with mud from 15 - 145' +. Wet from conditioning. No split.
2/22/2002	BCS00010210	147.50	150.00	No split.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/22/2002	BCS00010211	150.00	152.50	No split.
2/22/2002	BCS00010212	152.50	155.00	50% split.
2/22/2002	BCS00010213	155.00	157.50	No split.
2/22/2002	BCS00010214	157.50	160.00	50% split.
2/22/2002	BCS00010215	160.00	162.50	50% split. Grading does not apply to SM.
2/22/2002	BCS00010216	162.50	165.00	No split.
2/22/2002	BCS00010217	165.00	167.50	No split.
2/22/2002	BCS00010218	167.50	170.00	No split.
2/22/2002	BCS00010219	170.00	172.50	No split.
2/22/2002	BCS00010220	172.50	175.00	No split.
2/22/2002	BCS00010221	175.00	177.50	No split.
2/22/2002	BCS00010222	177.50	180.00	No split.
2/23/2002	BCS00010223	180.00	182.50	Condition hole from 15 - 180'. No split. Fairly uniform unit - smooth drilling.
2/23/2002	BCS00010224	182.50	185.00	No split. Fairly uniform unit - smooth drilling.
2/23/2002	BCS00010225	185.00	187.50	No split. Fairly uniform unit - smooth drilling.
2/23/2002	BCS00010226	187.50	190.00	No split. Fairly uniform unit - smooth drilling.
2/23/2002	BCS00010227	190.00	192.50	1/2 split. Fairly uniform unit - smooth drilling.
2/23/2002	BCS00010228	192.50	195.00	No split. Fairly uniform unit - smooth drilling.
2/23/2002	BCS00010229	195.00	197.50	1/2 split. Fairly uniform unit - smooth drilling.
2/23/2002	BCS00010230	197.50	200.00	No split. Fairly uniform unit - smooth drilling. Fine sand.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/23/2002	BCS00010231	200.00	202.50	50% split.
2/23/2002	BCS00010232	202.50	205.00	No split.
2/23/2002	BCS00010233	205.00	207.50	No split.
2/23/2002	BCS00010234	207.50	210.00	No split.
2/23/2002	BCS00010235	210.00	212.50	No split.
2/23/2002	BCS00010236	212.50	215.00	No split.
2/23/2002	BCS00010237	215.00	217.50	No split.
2/23/2002	BCS00010238	217.50	220.00	No split.
2/23/2002	BCS00010239	220.00	222.50	50% split.
2/23/2002	BCS00010240	222.50	225.00	No split.
2/23/2002	BCS00010241	225.00	227.50	50% split.
2/23/2002	BCS00010242	227.50	230.00	No split.
2/23/2002	BCS00010243	230.00	232.50	50% split.
2/23/2002	BCS00010244	232.50	235.00	No split. Sample 232.5 - 235.0' was longer and samples 235 - 237.5' and 237.5 - 240.0' were shorter than 2.5' interval, samples off by 6-8".
2/23/2002	BCS00010245	235.00	237.50	No split. Sample 232.5 - 235.0' was longer and samples 235 - 237.5' and 237.5 - 240.0' were shorter than 2.5' interval, samples off by 6-8".
2/23/2002	BCS00010246	237.50	240.00	No split. Sample 232.5 - 235.0' was longer and samples 235 - 237.5' and 237.5 - 240.0' were shorter than 2.5' interval, samples off by 6-8". Pump slug of mud to condition hole.
2/23/2002	BCS00010247	240.00	242.50	Hard drilling. No split.
2/23/2002	BCS00010248	242.50	245.00	No split.
2/23/2002	BCS00010249	245.00	247.50	No split.
2/23/2002	BCS00010250	247.50	250.00	No split.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/23/2002	BCS00010251	250.00	252.50	No split. Loss of fines by wind.
2/23/2002	BCS00010252	252.50	255.00	No split. Loss of fines by wind.
2/23/2002	BCS00010253	255.00	257.50	Hard drilling. No split. Loss of fines by wind.
2/23/2002	BCS00010254	257.50	260.00	No split.
2/23/2002	BCS00010255	260.00	262.50	No split. Grading does not apply to SM.
2/23/2002	BCS00010256	262.50	265.00	No split. Fine sand.
2/23/2002	BCS00010257	265.00	267.50	50% split.
2/23/2002	BCS00010258	267.50	270.00	No split.
2/23/2002	BCS00010259	270.00	272.50	50% split.
2/23/2002	BCS00010260	272.50	275.00	50% split.
2/23/2002	BCS00010261	275.00	277.50	50% split.
2/23/2002	BCS00010262	277.50	280.00	50% split.
2/23/2002	BCS00010263	280.00	282.50	No split.
2/23/2002	BCS00010264	282.50	285.00	50% split.
2/23/2002	BCS00010265	285.00	287.50	50% split.
2/23/2002	BCS00010266	287.50	290.00	No split.
2/23/2002	BCS00010267	290.00	292.50	Hard drilling. No split.
2/23/2002	BCS00010268	292.50	295.00	No split.
2/23/2002	BCS00010269	295.00	297.50	50% split.
2/23/2002	BCS00010270	297.50	300.00	50% split.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/23/2002	BCS00010271	300.00	302.50	50% split.
2/23/2002	BCS00010272	302.50	305.00	No split.
2/23/2002	BCS00010273	305.00	307.50	No split. Grading does not apply to SM.
2/23/2002	BCS00010274	307.50	310.00	No split.
2/23/2002	BCS00010275	310.00	312.50	50% split. Grading does not apply to SM.
2/23/2002	BCS00010276	312.50	315.00	No split.
2/23/2002	BCS00010277	315.00	317.50	No split. Grading does not apply to SM.
2/23/2002	BCS00010278	317.50	320.00	No split. Pump slug of mud down hole to condition hole.
2/24/2002	BCS00010279	320.00	322.50	No split. Grading does not apply to SM.
2/24/2002	BCS00010280	322.50	325.00	No split. Grading does not apply to SM.
2/24/2002	BCS00010281	325.00	327.50	No split.
2/24/2002	BCS00010282	327.50	330.00	No split.
2/24/2002	BCS00010283	330.00	332.50	No split.
2/24/2002	BCS00010284	332.50	335.00	No split.
2/24/2002	BCS00010285	335.00	337.50	50% split.
2/24/2002	BCS00010286	337.50	340.00	50% split.
2/24/2002	BCS00010287	340.00	342.50	No split. Grading does not apply to SM.
2/24/2002	BCS00010288	342.50	345.00	No split.
2/24/2002	BCS00010289	345.00	347.50	No split.
2/24/2002	BCS00010290	347.50	350.00	No split.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/24/2002	BCS00010291	350.00	352.50	No split.
2/24/2002	BCS00010292	352.50	355.00	No split.
2/24/2002	BCS00010293	355.00	357.50	50% split.
2/24/2002	BCS00010294	357.50	360.00	50% split. Pump mud at bottom to condition and stabilize hole.
2/24/2002	BCS00010295	360.00	362.50	No split. Grading does not apply to SM.
2/24/2002	BCS00010296	362.50	365.00	No split.
2/24/2002	BCS00010297	365.00	367.50	50% split.
2/24/2002	BCS00010298	367.50	370.00	50% split.
2/24/2002	BCS00010299	370.00	372.50	50% split.
2/24/2002	BCS00010300	372.50	375.00	50% split.
2/24/2002	BCS00010301	375.00	377.50	No split.
2/24/2002	BCS00010302	377.50	380.00	No split. Pump mud at bottom to stabilize and condition hole.
2/24/2002	BCS00010303	380.00	382.50	No split. Some white zeolite and clear quartz. Grading does not apply to SM.
2/24/2002	BCS00010304	382.50	385.00	50% split. Grading does not apply to SM.
2/24/2002	BCS00010305	385.00	387.50	No split. Coarse sand.
2/24/2002	BCS00010306	387.50	390.00	No split. Inject H2O due to clay. Possible perched H2O - 382.5'-392.5'? Grading does not apply to SM.
2/24/2002	BCS00010307	390.00	392.50	No split. Very fine cuttings - drill action, not representative. Inject H2O due to clay. Possible perched H2O - 382.5'-392.5'?
2/24/2002	BCS00010308	392.50	395.00	No split. Very fine cuttings - drill action, not representative. No sample.
2/24/2002	BCS00010309	395.00	397.50	No split. Very fine cuttings - drill action, not representative. No sample.
2/24/2002	BCS00010310	397.50	400.00	No split. Very fine cuttings - drill action, not representative.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/24/2002	BCS00010311	400.00	402.50	No split. Fine cuttings - very poor recovery, not representative.
2/24/2002	BCS00010312	402.50	405.00	No split. Grading does not apply to SM.
2/24/2002	BCS00010313	405.00	407.50	No split. Grading does not apply to SM.
2/24/2002	BCS00010314	407.50	410.00	No split. Grading does not apply to SM.
2/24/2002	BCS00010315	410.00	412.50	No split. Grading does not apply to SM.
2/24/2002	BCS00010316	412.50	415.00	No split. Grading does not apply to SM.
2/24/2002	BCS00010317	415.00	417.50	No split. Grading does not apply to SM.
2/24/2002	BCS00010318	417.50	420.00	No split. Grading does not apply to SM.
2/25/2002	BCS00010319	420.00	422.50	No split.
2/25/2002	BCS00010320	422.50	425.00	No split.
2/25/2002	BCS00010321	425.00	427.50	50% split.
2/25/2002	BCS00010322	427.50	430.00	No split.
2/25/2002	BCS00010323	430.00	432.50	No split.
2/25/2002	BCS00010324	432.50	435.00	No split.
2/25/2002	BCS00010325	435.00	437.50	No split. Grading does not apply to SM.
2/25/2002	BCS00010326	437.50	440.00	No split. Grading does not apply to SM.
2/25/2002	BCS00010327	440.00	442.50	No split. Grading does not apply to SM.
2/25/2002	BCS00010328	442.50	445.00	No split. Grading does not apply to SM.
2/25/2002	BCS00010329	445.00	447.50	No split. Coarse sand.
2/25/2002	BCS00010330	447.50	450.00	No split. Grading does not apply to SM.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/25/2002	BCS00010331	450.00	452.50	No split. Grading does not apply to SM.
2/25/2002	BCS00010332	452.50	455.00	No split.
2/25/2002	BCS00010333	455.00	457.50	No split.
2/25/2002	BCS00010334	457.50	460.00	No split. Pump mud slug at bottom to condition/stabilize hole.
2/25/2002	BCS00010335	460.00	462.50	No split. Coarse sand, no fines (probably stick to wall cake).
2/25/2002	BCS00010336	462.50	465.00	No split. Coarse sand, no fines (probably stick to wall cake).
2/25/2002	BCS00010337	465.00	467.50	No split.
2/25/2002	BCS00010338	467.50	470.00	No split.
2/25/2002	BCS00010339	470.00	472.50	No split.
2/25/2002	BCS00010340	472.50	475.00	No split.
2/25/2002	BCS00010341	475.00	477.50	No sample split.
2/25/2002	BCS00010342	477.50	480.00	No sample split.
2/25/2002	BCS00010343	480.00	482.50	No sample split. Driller reports dampness, coarse sand.
2/25/2002	BCS00010344	482.50	485.00	No sample split.
2/25/2002	BCS00010345	485.00	487.50	No sample split. Coarse sand.
2/25/2002	BCS00010346	487.50	490.00	No sample split.
2/25/2002	BCS00010347	490.00	492.50	No sample split. Coarse sand.
2/25/2002	BCS00010348	492.50	495.00	No sample split.
2/25/2002	BCS00010349	495.00	497.50	No sample split.
2/25/2002	BCS00010350	497.50	500.00	No sample split. Coarse sand.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
2/27/2002	BCS00010351	500.00	502.50	Water. No split. No sample density measurements due to wet samples. Grading does not apply to SM.
2/27/2002	BCS00010352	502.50	505.00	Water. Grading does not apply to SM.
2/27/2002	BCS00010353	505.00	507.50	Water.
2/27/2002	BCS00010354	507.50	510.00	Water. Grading does not apply to SM.
2/27/2002	BCS00010355	510.00	512.50	Water. Grading does not apply to SM.
2/27/2002	BCS00010356	512.50	515.00	Water. Grading does not apply to SM.
2/27/2002	BCS00010357	515.00	517.50	Water. No split. No sample density measurements due to wet samples.
2/27/2002	BCS00010358	517.50	520.00	No split. Pump slug of mud down hole to condition/stabilize hole. No sample density measurements due to wet samples.
2/27/2002	BCS00010359	520.00	522.50	No split. No sample density measurements due to wet samples.
2/27/2002	BCS00010360	522.50	525.00	No split. No sample density measurements due to wet samples.
2/26/2002	BCS00010361	525.00	527.50	No split.
3/28/2002	BCS00010362	527.50	530.00	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010363	530.00	532.50	No split. Too viscous for determination. No sample density measurements due to wet samples.
3/28/2002	BCS00010364	532.50	535.00	No split. Too viscous for determination.
3/28/2002	BCS00010365	535.00	537.50	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010366	537.50	540.00	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010367	540.00	542.50	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010368	542.50	545.00	No split. Too viscous for determination. No sample density measurements due to wet samples.
3/28/2002	BCS00010369	545.00	547.50	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010370	547.50	550.00	No split. No sample density measurements due to wet samples.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
3/28/2002	BCS00010371	550.00	552.50	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010372	552.50	555.00	No split.
3/28/2002	BCS00010373	555.00	557.50	No split.
3/28/2002	BCS00010374	557.50	560.00	No split.
3/28/2002	BCS00010375	560.00	562.50	No split.
3/28/2002	BCS00010376	562.50	565.00	No split.
3/28/2002	BCS00010377	565.00	567.50	No split.
3/28/2002	BCS00010378	567.50	570.00	No split.
3/28/2002	BCS00010379	570.00	572.50	No split.
2/26/2002	BCS00010380	572.50	575.00	No split.
3/28/2002	BCS00010381	575.00	577.50	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010382	577.50	580.00	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010383	580.00	585.00	Switch to 5' sample interval. No split. No sample density measurements due to wet samples.
3/7/2002	BCS00010384	585.00	590.00	No split. No sample density measurements due to wet samples.
3/28/2002	BCS00010385	590.00	595.00	50/50 split w/wet rotary splitter. No sample density measurements due to wet samples.
3/28/2002	BCS00010386	595.00	600.00	50/50 split w/wet rotary splitter. No sample density measurements due to wet samples.
3/28/2002	BCS00010387	600.00	605.00	50/50 split w/wet rotary splitter. No sample density measurements due to wet samples.
3/28/2002	BCS00010388	605.00	610.00	50/50 split w/wet rotary splitter. No sample density measurements due to wet samples.
3/28/2002	BCS00010389	610.00	615.00	50/50 split w/wet rotary splitter. No sample density measurements due to wet samples.
3/28/2002	BCS00010390	615.00	620.00	50/50 split w/wet rotary splitter. No sample density measurements due to wet samples.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
3/7/2002	BCS00010391	620.00	625.00	1/4 split with wet rotary splitter. No sample density measurements due to wet samples. Grading does not apply to SM.
3/7/2002	BCS00010392	625.00	630.00	1/4 split with wet rotary splitter. Grading does not apply to SM.
3/7/2002	BCS00010393	630.00	635.00	1/4 split with wet rotary splitter.
3/7/2002	BCS00010394	635.00	640.00	1/4 split with wet rotary splitter. Grading does not apply to SM.
3/7/2002	BCS00010395	640.00	645.00	1/8 split with wet rotary splitter. Grading does not apply to SM.
3/7/2002	BCS00010396	645.00	650.00	1/8 split with wet rotary splitter. Grading does not apply to SM.
3/7/2002	BCS00010397	650.00	655.00	1/8 split with wet rotary splitter.
3/7/2002	BCS00010398	655.00	660.00	1/8 split with wet rotary splitter.
3/7/2002	BCS00010399	660.00	665.00	1/8 split with wet rotary splitter.
3/7/2002	BCS00010400	665.00	670.00	1/8 split with wet rotary splitter.
3/7/2002	BCS00010401-22PB-2047	670.00	675.00	1/8 sample split with wet splitter. No sample measurements due to wet samples.
3/7/2002	BCS00010402-22PB-2048	675.00	680.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010403-22PB-2049	680.00	685.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010404-22PB-2050	685.00	690.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010405-22PB-2051	690.00	695.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010406-22PB-2052	695.00	700.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010407-22PB-2053	700.00	705.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010408-22PB-2054	705.00	710.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010409-22PB-2055	710.00	715.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010410-22PB-2056	715.00	720.00	1/8 sample split with wet splitter.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
3/7/2002	BCS00010411-22PB-2057	720.00	725.00	1/8 sample split with wet splitter. No sample density measurements due to wet samples. Grading does not apply to SM.
3/7/2002	BCS00010412-22PB-2058	725.00	730.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010413-22PB-2059	730.00	735.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010414-22PB-2060	735.00	740.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010415-22PB-2061	740.00	745.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010416-22PB-2062	745.00	750.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010417-22PB-2063	750.00	755.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010418-22PB-2064	755.00	760.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010419-22PB-2065	760.00	765.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010420-22PB-2066	765.00	770.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010421-22PB-2067	770.00	775.00	1/8 sample split with wet splitter. No sample density measurements due to wet samples.
3/7/2002	BCS00010422-22PB-2068	775.00	780.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010423-22PB-2069	780.00	785.00	1/8 sample split with wet splitter.
3/7/2002	BCS00010424-22PB-2070	785.00	790.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010425-22PB-2071	790.00	795.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010426-22PB-2072	795.00	800.00	1/8 sample split with wet splitter. H2O temp = 80 degrees F and airlift yield @ 225 psi = 37.5 - 42.8 gpm. Grading does not apply to SM.
3/7/2002	BCS00010427-22PB-2073	800.00	805.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010428-22PB-2074	805.00	810.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010429-22PB-2075	810.00	815.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/7/2002	BCS00010430-22PB-2076	815.00	820.00	1/8 sample split with wet splitter. Grading does not apply to SM.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
3/8/2002	BCS00010431-22PB-2077	820.00	825.00	1/8 sample split with wet splitter. No sample density measurements due to wet samples. Grading does not apply to SM.
3/8/2002	BCS00010432-22PB-2078	825.00	830.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/8/2002	BCS00010433-22PB-2079	830.00	835.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/8/2002	BCS00010434-22PB-2080	835.00	840.00	1/8 sample split with wet splitter. Grading does not apply to SM.
3/8/2002	BCS00010435-22PB-2081	840.00	845.00	1/8 sample split with wet splitter.
3/8/2002	BCS00010436-22PB-2082	845.00	850.00	1/8 sample split with wet splitter.
3/8/2002	BCS00010437-22PB-2083	850.00	855.00	1/8 sample split with wet splitter.
3/8/2002	BCS00010438-22PB-2084	855.00	860.00	1/8 sample split with wet splitter.
3/8/2002	BCS00010439-22PB-2085	860.00	865.00	1/8 sample split with wet splitter.
3/8/2002	BCS00010440-22PB-2086	865.00	870.00	1/8 sample split with wet splitter.
3/8/2002	BCS00010441-22PB-2087	870.00	875.00	1/8 split with wet splitter. No sample density measurements due to wet samples.
3/8/2002	BCS00010442-22PB-2088	875.00	880.00	1/8 split with wet splitter.
3/8/2002	BCS00010443-22PB-2089	880.00	885.00	1/8 split with wet splitter. Grading does not apply to SM.
3/8/2002	BCS00010444-22PB-2090	885.00	890.00	1/8 split with wet splitter. Grading does not apply to SM.
3/8/2002	BCS00010445-22PB-2091	890.00	895.00	1/8 split with wet splitter. Grading does not apply to SM.
3/8/2002	BCS00010446-22PB-2092	895.00	900.00	1/8 split with wet splitter. Water yield w/airlift = 50 gpm and temp = 78 degrees F. Grading does not apply to SM.
3/8/2002	BCS00010447-22PB-2093	900.00	905.00	1/8 split with wet splitter.
3/8/2002	BCS00010448-22PB-2094	905.00	910.00	1/8 split with wet splitter.
3/8/2002	BCS00010449-22PB-2095	910.00	915.00	1/8 split with wet splitter.
3/8/2002	BCS00010450-22PB-2096	915.00	920.00	1/8 split with wet splitter.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
3/8/2002	BCS00010451-22PB-2097	920.00	925.00	1/8 split with wet splitter. No sample density measurements due to wet samples.
3/8/2002	BCS00010452-22PB-2098	925.00	930.00	1/8 split with wet splitter.
3/8/2002	BCS00010453-22PB-2099	930.00	935.00	1/8 split with wet splitter.
3/8/2002	BCS00010454-22PB-2100	935.00	940.00	1/8 split with wet splitter.
3/8/2002	BCS00010455-22PB-2101	940.00	945.00	1/8 split with wet splitter.
3/8/2002	BCS00010456-22PB-2102	945.00	950.00	1/8 split with wet splitter.
3/8/2002	BCS00010457-22PB-2103	950.00	955.00	1/8 split with wet splitter.
3/8/2002	BCS00010458-22PB-2104	955.00	960.00	1/8 split with wet splitter.
3/8/2002	BCS00010459-22PB-2105	960.00	965.00	1/8 split with wet splitter.
3/8/2002	BCS00010460-22PB-2106	965.00	970.00	1/8 split with wet splitter.
3/8/2002	BCS00010461-22PB-2107	970.00	975.00	1/8 split with wet splitter. No sample density measurements due to wet samples.
3/8/2002	BCS00010462-22PB-2108	975.00	980.00	1/8 split with wet splitter.
3/8/2002	BCS00010463-22PB-2109	980.00	985.00	1/8 split with wet splitter.
3/8/2002	BCS00010464-22PB-2110	985.00	990.00	1/8 split with wet splitter.
3/8/2002	BCS00010465-22PB-2111	990.00	995.00	1/8 split with wet splitter.
3/8/2002	BCS00010466-22PB-2112	995.00	1000.00	1/8 split with wet splitter. Airlift yield = 60 gpm @ 80 degrees F.
3/8/2002	BCS00010467-22PB-2113	1000.00	1005.00	1/8 split with wet splitter. Grading does not apply to SM.
3/8/2002	BCS00010468-22PB-2114	1005.00	1010.00	1/8 split with wet splitter.
3/8/2002	BCS00010469-22PB-2115	1010.00	1015.00	1/8 split with wet splitter.
3/8/2002	BCS00010470-22PB-2116	1015.00	1020.00	1/8 split with wet splitter.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-22PB** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
3/8/2002	BCS00010471-22PB-2117	1020.00	1025.00	1/8 split with wet splitter. No sample density measurements due to wet sample.
3/8/2002	BCS00010472-22PB-2118	1025.00	1030.00	1/8 split with wet splitter.
3/8/2002	BCS00010473-22PB-2119	1030.00	1035.00	1/8 split with wet splitter.
3/8/2002	BCS00010474-22PB-2120	1035.00	1040.00	1/8 split with wet splitter.
3/8/2002	BCS00010475-22PB-2121	1040.00	1045.00	1/8 split with wet splitter.
3/8/2002	BCS00010476-22PB-2122	1045.00	1050.00	1/8 split with wet splitter.
3/8/2002	BCS00010477-22PB-2123	1050.00	1055.00	1/8 split with wet splitter.
3/8/2002	BCS00010478-22PB-2124	1055.00	1060.00	1/8 split with wet splitter. Airlift yield = 75 gpm @ 79 degrees F.
3/8/2002	BCS00010479-22PB-2125	1060.00	1065.00	1/8 split with wet splitter.
3/8/2002	BCS00010480-22PB-2126	1065.00	1070.00	1/8 split with wet splitter.
3/8/2002	BCS00010481-22PB-2127	1070.00	1075.00	1/8 split with wet splitter. No sample density measurements due to wet sample.
3/8/2002	BCS00010482-22PB-2128	1075.00	1080.00	1/8 split with wet splitter.
3/8/2002	BCS00010483-22PB-2129	1080.00	1085.00	1/8 split with wet splitter.
3/8/2002	BCS00010484-22PB-2130	1085.00	1090.00	1/8 split with wet splitter.
3/8/2002	BCS00010485-22PB-2131	1090.00	1095.00	1/8 split with wet splitter.
3/8/2002	BCS00010486-22PB-2132	1095.00	1100.00	1/8 split with wet splitter.
3/8/2002	BCS00010487-22PB-2133	1100.00	1105.00	1/8 split with wet splitter.
3/8/2002	BCS00010488-22PB-2134	1105.00	1110.00	1/8 split with wet splitter.
3/8/2002	BCS00010489-22PB-2135	1110.00	1115.00	1/8 split with wet splitter.
3/8/2002	BCS00010490-22PB-2136	1115.00	1120.00	1/8 split with wet splitter. Coarse sand.