Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-19IM2A** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/13/2001	BCS00008401	0.00	2.50	Predominantly find sand. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008402	2.50	5.00	Caliche rind. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008403	5.00	7.50	Injected water. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008404	7.50	10.00	Injected water. Predominantly coarse sand, change to new bladder, wear sleve & bit at 22.5 feet on 07/14/2001, used center return air rotary bit. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008405	10.00	12.50	Injected water. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008406	12.50	15.00	Injected water. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008407	15.00	17.50	Injected water. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008408	17.50	20.00	Injected water. Sample weight of bucket not taken due to lack of calibrated scale.
7/13/2001	BCS00008409	20.00	22.50	Injected water. Sample weight of bucket not taken due to lack of calibrated scale.
7/14/2001	BCS00008410	22.50	25.00	
7/14/2001	BCS00008411	25.00	27.50	Munsell colors are dry.
7/14/2001	BCS00008412	27.50	30.00	Munsell colors are dry.
7/14/2001	BCS00008413	30.00	32.50	Munsell colors are dry.
7/14/2001	BCS00008414	32.50	35.00	Munsell colors are dry.
7/14/2001	BCS00008415	35.00	37.50	Munsell colors are dry.
7/14/2001	BCS00008416	37.50	40.00	Munsell colors are dry.
7/14/2001	BCS00008417	40.00	42.50	Munsell colors are dry.
7/14/2001	BCS00008418	42.50	45.00	Munsell colors are dry.
7/14/2001	BCS00008419	45.00	47.50	Munsell colors are dry.
7/14/2001	BCS00008420	47.50	50.00	Munsell colors are dry.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-19IM2A** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/14/2001	BCS00008421	50.00	52.50	Colors are dry.
7/14/2001	BCS00008422	52.50	55.00	
7/14/2001	BCS00008423	55.00	57.50	
7/14/2001	BCS00008424	57.50	60.00	
7/14/2001	BCS00008425	60.00	62.50	
7/14/2001	BCS00008426	62.50	65.00	
7/14/2001	BCS00008427	65.00	67.50	
7/14/2001	BCS00008428	67.50	70.00	
7/14/2001	BCS00008429	70.00	72.50	Problems drilling from 72.5 - 82.5 feet; drilling rate of 0.17 includes time for cleaning hole.
7/14/2001	BCS00008430	72.50	75.00	Problems drilling from 72.5 - 82.5 feet; drilling rate of 0.17 includes time for cleaning hole.
7/14/2001	BCS00008431	75.00	77.50	Drilling rate of 0.17 includes time cleaning hole. Colors are dry.
7/14/2001	BCS00008432	77.50	80.00	Drilling rate of 0.17 includes time cleaning hole.
7/14/2001	BCS00008433	80.00	82.50	Some moisture at 80'+/-. Predominantly monolithic.
7/14/2001	BCS00008434	82.50	85.00	
7/14/2001	BCS00008435	85.00	87.50	
7/14/2001	BCS00008436	87.50	90.00	
7/14/2001	BCS00008437	90.00	92.50	
7/14/2001	BCS00008438	92.50	95.00	
7/14/2001	BCS00008439	95.00	97.50	1OR 6/6 - 4/6 tuff gravels (wet color)
7/14/2001	BCS00008440	97.50	100.00	

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-19IM2A** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/14/2001	BCS00008441	100.00	102.50	
7/14/2001	BCS00008442	102.50	105.00	
7/14/2001	BCS00008443	105.00	107.50	Some "agatized" tuff fragment (10YR 8/2).
7/14/2001	BCS00008444	107.50	110.00	
7/14/2001	BCS00008445	110.00	112.50	Multicolored gravels.
7/14/2001	BCS00008446	112.50	115.00	Loss of fines in form of dust from cyclone.
7/14/2001	BCS00008447	115.00	117.50	
7/14/2001	BCS00008448	117.50	120.00	
7/14/2001	BCS00008449	120.00	122.50	
7/14/2001	BCS00008450	122.50	125.00	
7/14/2001	BCS00008451	125.00	127.50	
7/14/2001	BCS00008452	127.50	130.00	
7/14/2001	BCS00008453	130.00	132.50	
7/14/2001	BCS00008454	132.50	135.00	
7/14/2001	BCS00008455	135.00	137.50	
7/14/2001	BCS00008456	137.50	140.00	
7/14/2001	BCS00008457	140.00	142.50	
7/14/2001	BCS00008458	142.50	145.00	
7/14/2001	BCS00008459	145.00	147.50	
7/14/2001	BCS00008460	147.50	150.00	

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/14/2001	BCS00008461	150.00	152.50	
7/14/2001	BCS00008462	152.50	155.00	
7/14/2001	BCS00008463	155.00	157.50	
7/14/2001	BCS00008464	157.50	160.00	
7/14/2001	BCS00008465	160.00	162.50	
7/14/2001	BCS00008466	162.50	165.00	
7/14/2001	BCS00008467	165.00	167.50	
7/14/2001	BCS00008468	167.50	170.00	
7/14/2001	BCS00008469	170.00	172.50	
7/14/2001	BCS00008470	172.50	175.00	
7/14/2001	BCS00008471	175.00	177.50	
7/14/2001	BCS00008472	177.50	180.00	
7/14/2001	BCS00008473	180.00	182.50	
7/14/2001	BCS00008474	182.50	185.00	
7/14/2001	BCS00008475	185.00	187.50	
7/14/2001	BCS00008476	187.50	190.00	
7/14/2001	BCS00008477	190.00	192.50	
7/14/2001	BCS00008478	192.50	195.00	
7/14/2001	BCS00008479	195.00	197.50	
7/14/2001	BCS00008480	197.50	200.00	

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/14/2001	BCS00008481	200.00	202.50	
7/14/2001	BCS00008482	202.50	205.00	
7/14/2001	BCS00008483	205.00	207.50	
7/14/2001	BCS00008484	207.50	210.00	
7/14/2001	BCS00008485	210.00	212.50	
7/14/2001	BCS00008486	212.50	215.00	
7/14/2001	BCS00008487	215.00	217.50	
7/14/2001	BCS00008488	217.50	220.00	
7/14/2001	BCS00008489	220.00	222.50	
7/14/2001	BCS00008490	222.50	225.00	
7/14/2001	BCS00008491	225.00	227.50	
7/14/2001	BCS00008492	227.50	230.00	
7/14/2001	BCS00008493	230.00	232.50	
7/14/2001	BCS00008494	232.50	235.00	
7/14/2001	BCS00008495	235.00	237.50	
7/14/2001	BCS00008496	237.50	240.00	
7/14/2001	BCS00008497	240.00	242.50	
7/14/2001	BCS00008498	242.50	245.00	
7/14/2001	BCS00008499	245.00	247.50	
7/14/2001	BCS00008500	247.50	250.00	

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/14/2001	BCS00008501	250.00	252.50	
7/14/2001	BCS00008502	252.50	255.00	
7/14/2001	BCS00008503	255.00	257.50	
7/14/2001	BCS00008504	257.50	260.00	On standby 07/15/2001 at 0719 - 0752 at 260 feet due to dusty conditions.
7/15/2001	BCS00008505	260.00	262.50	
7/15/2001	BCS00008506	262.50	265.00	
7/15/2001	BCS00008507	265.00	267.50	
7/15/2001	BCS00008508	267.50	270.00	
7/15/2001	BCS00008509	270.00	272.50	
7/15/2001	BCS00008510	272.50	275.00	
7/15/2001	BCS00008511	275.00	277.50	
7/15/2001	BCS00008512	277.50	280.00	
7/15/2001	BCS00008513	280.00	282.50	
7/15/2001	BCS00008514	282.50	285.00	
7/15/2001	BCS00008515	285.00	287.50	
7/15/2001	BCS00008516	287.50	290.00	
7/15/2001	BCS00008517	290.00	292.50	
7/15/2001	BCS00008518	292.50	295.00	
7/15/2001	BCS00008519	295.00	297.50	
7/15/2001	BCS00008520	297.50	300.00	

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/15/2001	BCS00008521	300.00	302.50	
7/15/2001	BCS00008522	302.50	305.00	
7/15/2001	BCS00008523	305.00	307.50	Grading does not apply to SM.
7/15/2001	BCS00008524	307.50	310.00	
7/15/2001	BCS00008525	310.00	312.50	
7/15/2001	BCS00008526	312.50	315.00	
7/15/2001	BCS00008527	315.00	317.50	
7/15/2001	BCS00008528	317.50	320.00	
7/15/2001	BCS00008529	320.00	322.50	
7/15/2001	BCS00008530	322.50	325.00	
7/15/2001	BCS00008531	325.00	327.50	
7/15/2001	BCS00008532	327.50	330.00	
7/15/2001	BCS00008533	330.00	332.50	
7/15/2001	BCS00008534	332.50	335.00	
7/15/2001	BCS00008535	335.00	337.50	
7/15/2001	BCS00008536	337.50	340.00	Grading does not apply to SM or SC.
7/15/2001	BCS00008537	340.00	342.50	
7/15/2001	BCS00008538	342.50	345.00	
7/15/2001	BCS00008539	345.00	347.50	Grading does not apply to SM or SC. SM/SC is a borderline classification. The material could be silty or clayey.
7/15/2001	BCS00008540	347.50	350.00	Grading does not apply to SM or SC.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Borehole ID: **NC-EWDP-19IM2A** (Phase 3)

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/15/2001	BCS00008541	350.00	352.50	Grading does not apply to SM.
7/15/2001	BCS00008542	352.50	355.00	Grading does not apply to SM.
7/15/2001	BCS00008543	355.00	357.50	
7/15/2001	BCS00008544	357.50	360.00	
7/15/2001	BCS00008545	360.00	362.50	
7/15/2001	BCS00008546	362.50	365.00	
7/15/2001	BCS00008547	365.00	367.50	
7/15/2001	BCS00008548	367.50	370.00	After drilling to 370.0 feet, pulled bit back 20 feet & injected H2O due to tight conditions; stuck in hole; pumped water & mud in hole (2 bags max gel); string became free on 07/15/2001.
7/16/2001	BCS00008549	370.00	372.50	Sample from 370 - 372.5' contaminated with bentonite.
7/16/2001	BCS00008550	372.50	375.00	Slight bentonite contamination from 372.5 - 380'.
7/16/2001	BCS00008551	375.00	377.50	Slight amount of bentonite contamination. WL = 368.65 feet at 0723 with bit at 379 feet +/-.
7/16/2001	BCS00008552	377.50	380.00	Slight amount of bentonite contamination. WL = 368.65 feet at 0723 with bit at 379 feet +/-.
7/16/2001	BCS00008553	380.00	382.50	
7/16/2001	BCS00008554	382.50	385.00	
7/16/2001	BCS00008555	385.00	387.50	
7/16/2001	BCS00008556	387.50	390.00	Samples are wet & clayey, cannot screen, all values are estimates. Sample saturated - will be stored in trailer until dried for determination. Grading does not apply to SC or SM.
7/16/2001	BCS00008557	390.00	392.50	Samples are wet & clayey, cannot screen, all values are estimates. Sample saturated - will be stored in trailer until dried for determination. SM/SC is a borderline classification material could be silty or clayey.
7/16/2001	BCS00008558	392.50	395.00	Sample saturated - will be stored in trailer until dried for determination.
7/16/2001	BCS00008559	395.00	397.50	Sample saturated - will be stored in trailer until dried for determination.
7/16/2001	BCS00008560	397.50	400.00	Sample saturated - will be stored in trailer until dried for determination.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/16/2001	BCS00008561	400.00	402.50	Samples are too saturated to sieve - will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 8/16 split (50%). Sample weights not available.
7/16/2001	BCS00008562	402.50	405.00	Samples are too saturated to sieve - will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 8/16 split (50%). Sample weights not available.
7/16/2001	BCS00008563	405.00	407.50	Samples are too saturated to sieve - will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 8/16 split (50%). Sample weights not available.
7/16/2001	BCS00008564	407.50	410.00	Samples are too saturated to sieve - will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 8/16 split (50%). Sample weights not available.
7/16/2001	BCS00008565	410.00	412.50	Samples are too saturated to sieve - will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 8/16 split (50%). Sample weights not available.
7/16/2001	BCS00008566	412.50	415.00	Samples are too saturated to sieve - will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 8/16 split (50%). Sample weights not available. Grading does not apply to SM or SC. SM/SC is a borderline classification. It could be silty or clayey.
7/16/2001	BCS00008567	415.00	417.50	Samples are too saturated to sieve - will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 8/16 split (50%). Sample weights not available.
7/16/2001	BCS00008568	417.50	420.00	Samples are too saturated to screen; will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008569	420.00	422.50	Samples are too saturated to screen; will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008570	422.50	425.00	Samples are too saturated to screen; will be stored in trailer until dry & then bag & determined. Set wet splitter at 50/50 split at 400 feet for SMF & NWRPO. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008571	425.00	427.50	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008572	427.50	430.00	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008573	430.00	432.50	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008574	432.50	435.00	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008575	435.00	437.50	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008576	437.50	440.00	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008577	440.00	442.50	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008578	442.50	445.00	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008579	445.00	447.50	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.
7/16/2001	BCS00008580	447.50	450.00	Samples too wet & muddy to screen; will store in trailer to dry, classify, & bag later. Wet sample splitter set to 6/16 split (38%). Sample weights not available.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/16/2001	BCS00008581	450.00	452.50	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008582	452.50	455.00	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008583	455.00	457.50	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008584	457.50	460.00	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008585	460.00	462.50	Samples too wet & muddy to screen; will be stored in trailer til dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008586	462.50	465.00	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008587	465.00	467.50	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008588	467.50	470.00	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008589	470.00	472.50	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008590	472.50	475.00	Samples too wet & muddy to screen; will be stored in trailer until dry & then classified & bagged. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008591	475.00	477.50	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008592	477.50	480.00	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 6/16 split (38%). Sample weight not available.
7/16/2001	BCS00008593	480.00	482.50	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008594	482.50	485.00	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available. SM/SC is a borderline classification. Material could be silty or clayey.
7/16/2001	BCS00008595	485.00	487.50	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available. SM/SC is a borderline classification. Material could be silty or clayey.
7/16/2001	BCS00008596	487.50	490.00	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008597	490.00	492.50	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available. Clay rich zone poor recovery noted. Grading does not apply to SC.
7/16/2001	BCS00008598	492.50	495.00	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available. SM/SC is a borderline classification. Material could be silty or clayey.
7/16/2001	BCS00008599	495.00	497.50	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008600	497.50	500.00	Sample is too wet & muddy to screen; will store in trailer until dry & then classify. Wet sample splitter set 5/16 split (31%). Sample weight not available.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/16/2001	BCS00008601	500.00	502.50	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008602	502.50	505.00	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008603	505.00	507.50	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008604	507.50	510.00	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008605	510.00	512.50	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008606	512.50	515.00	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008607	515.00	517.50	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008608	517.50	520.00	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008609	520.00	522.50	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008610	522.50	525.00	Sample too wet & muddy to screen; will store in trailer until dry & then classify & bag. Wet sample splitter set 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008611	525.00	527.50	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008612	527.50	530.00	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008613	530.00	532.50	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008614	532.50	535.00	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008615	535.00	537.50	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008616	537.50	540.00	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008617	540.00	542.50	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008618	542.50	545.00	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available. SM/SC is a borderline classification. Material could be silty or clayey.
7/16/2001	BCS00008619	545.00	547.50	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.
7/16/2001	BCS00008620	547.50	550.00	Sample too wet & muddy to screen; will store in trailer to dry and then classify & bag. Wet sample splitter set to 5/16 split (31%). Sample weight not available.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/16/2001	BCS00008621	550.00	552.50	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008622	552.50	555.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008623	555.00	557.50	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008624	557.50	560.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample splitter set to 2/16 (12.5%). Sample weights not available.
7/16/2001	BCS00008625	560.00	565.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available. Changed to 5' sample interval below 560'.
7/16/2001	BCS00008626	565.00	570.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008627	570.00	575.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008628	575.00	580.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008629	580.00	585.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008630	585.00	590.00	Sample too wet & muddy to screen; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008631	590.00	595.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008632	595.00	600.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008633	600.00	605.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008634	605.00	610.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available. Grading does not apply to SM.
7/16/2001	BCS00008635	610.00	615.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008636	615.00	620.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008637	620.00	625.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008638	625.00	630.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008639	630.00	635.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.
7/16/2001	BCS00008640	635.00	640.00	Sample has too much water & mud; will store in trailer to dry, then classify & bag. Sample weight not available.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/16/2001	BCS00008641	640.00	645.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008642	645.00	650.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008643	650.00	655.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008644	655.00	660.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008645	660.00	665.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008646	665.00	670.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008647	670.00	675.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008648	675.00	680.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008649	680.00	685.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available.
7/16/2001	BCS00008650	685.00	690.00	Sample too wet & muddy; will store in trailer until dry, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/16/2001	BCS00008651	690.00	695.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available.
7/16/2001	BCS00008652	695.00	700.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available.
7/16/2001	BCS00008653	700.00	705.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/16/2001	BCS00008654	705.00	710.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available.
7/16/2001	BCS00008655	710.00	715.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available.
7/16/2001	BCS00008656	715.00	720.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available.
7/17/2001	BCS00008657	720.00	725.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available. Splitter set @ 1/16 (6%).
7/17/2001	BCS00008658	725.00	730.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/17/2001	BCS00008659	730.00	735.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/17/2001	BCS00008660	735.00	740.00	Samples too wet & muddy & screen; will store in trailer until try, then classify & bag. Sample weights not available.

Alluvium Drill Cuttings Logging Form Comments - Nye County Nuclear Waste Repository Project Office

Date Logged	Sample Number	Depth Interval (feet bgs) From	Depth Interval (feet bgs) To	Comments
7/17/2001	BCS00008661	740.00	745.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/17/2001	BCS00008662	745.00	750.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/17/2001	BCS00008663	750.00	755.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/17/2001	BCS00008664	755.00	760.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available. Airlift test produced 41 GPM over 5 minute test.
7/17/2001	BCS00008665	760.00	765.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available. Grading does not apply to SM.
7/17/2001	BCS00008666	765.00	770.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available.
7/17/2001	BCS00008667	770.00	775.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available.
7/17/2001	BCS00008668	775.00	780.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available.
7/17/2001	BCS00008669	780.00	785.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available.
7/17/2001	BCS00008670	785.00	790.00	Samples wet & muddy; stored in trailer until dry, then classify & bag. Sample weights not available.
7/17/2001	BCS00008671	790.00	795.00	Samples too wet & muddy; stored in trailer until dry, then classify & bag. Sample weight not available.
7/17/2001	BCS00008672	795.00	800.00	Samples too wet & muddy; stored in trailer until dry, then classify & bag. Sample weight not available.
7/17/2001	BCS00008673	800.00	805.00	Samples too wet & muddy; stored in trailer until dry, then classify & bag. Sample weight not available. Grading does not apply to SM.
7/17/2001	BCS00008674	805.00	810.00	Samples too wet & muddy; stored in trailer until dry, then classify & bag. Sample weight not available. Grading does not apply to SM.
7/17/2001	BCS00008675	810.00	815.00	Samples too wet & muddy; stored in trailer until dry, then classify & bag. Sample weight not available.
7/17/2001	BCS00008676	815.00	820.00	Samples too wet & muddy; stored in trailer until dry, then classify & bag. Sample weight not available. Grading does not apply to SM.
7/17/2001	BCS00008677	820.00	825.00	Samples too wet & muddy; stored in trailer until dry, then classify & bag. Sample weight not available.