

# NYE County NWRPO -Technical Data Report

RID No.	Transmitter	Org.	Receiver	Org.	Key word1	Title/Description
4062	Shettel	GMII	Qarc	NYE	EWDP I	Ur, Sr, S And Pb Isotopic Analyses From Geochron Laboratories In July 1999 For Ewdp I Water Samples (hydrogeochemistry)
Doc. Date	7/20/1999	General Doc. Type	QA PROGRAM DOC	Keyword2	H2O	
Entry Date	4/19/2001	Detailed Doc. Type	DATA	Keyword3	ANALYSES	
.....						
Data Originator Preparer	C. Colonero & R. Reesman					
.....						
Title of Data	Ur, Sr, S and Pb Isotopic Analyses from Geochron Laboratories in July 1999 for EWDP I Water Samples (hydrogeochemistry)					
.....						
Description of Data	An MS Excel file (GL1378.xls) containing site name, sampling date, GMII sample ID, laboratory ID, pump depth, sample depth and analytical data (stable sulfur isotopic ratios, lead isotope ratios, uranium isotope ratios and strontium isotope ratios).					
.....						
Data Collection Method	Samples were collected unfiltered from the discharge line of a down hole Bennett pump (after at least 3 well bore volumes of fluid discharged) into 1 liter HDPE bottles, labeled in field, and shipped to laboratory from office.					
.....						
Data Location(s)	Nye County Early Warning Drilling Program wells NC-EWDP-1S, -9SX, -3S, -1DX and -3D at specified depths.					
.....						
Data Collection Period(s)	2/17/99 to 5/24/99					
.....						
Data Source(s)	Original Geochron Lab analyses and GMII field geochemistry notebook. Original analyses are contained in RID 1378 (Sulfur, Uranium and Strontium) and RID 1398 (Uranium and Lead isotopic ratios).					
.....						
Data Censuring	None					
.....						
Data Processing	Data reduction performed by laboratory; data compiled into MS Excel spreadsheet by D.L. Shettel / GMII.					
.....						
Data Limitations	Samples from screened interval of piezometer well or the sampling port located within the packed off interval of a Westbay completed well. Uncertainty on stable isotopic ratio analyses (SIRA) are plus/minus 0.1 per mil (o/oo).					
.....						
Governing QA Docs.	TP-8.1					
.....						
Frequency of Transmittal	As required by PI					
.....						
Direct Questions About Data To-	Don Shettel					