

NYE County NWRPO -Technical Data Report

RID No.	Transmitter	Org.	Receiver	Org.	Key word1	Title/Description
4408	Shettel	GMII	Qarc	NYE	EWDP I	Radioactivity Analyses Reported By Barringer Laboratories, Inc. (golden, Co) On August 26, 1999 To Gmii For Ewdp I Water Sampling May 1999 And Bond Gold Mining Well 13 Water Sampling July 1999 (hydrogeochemistry)
Doc. Date	8/8/1999	General Doc. Type	QA PROGRAM DOC	Keyword2	H2O	
Entry Date	8/24/2001	Detailed Doc. Type	DATA	Keyword3	ANALYSES	
Data Originator Preparer	B. Stringer					
Title of Data	Radioactivity Analyses Reported by Barringer Laboratories, Inc. (Golden, CO) on August 26, 1999 to GMII for EWDP I water sampling May 1999 and Bond Gold Mining Well 13 water sampling July 1999 (hydrogeochemistry)					
Description of Data	An MS Excel file (barr26aug99.xls) contains site names, sampling dates, radioactivity measurements (gross alpha, gross beta, and tritium) on water samples, uncertainties, GMII sample numbers, laboratory sample numbers, analysis dates, laboratory methods, and pump and sample depth.					
Data Collection Method	Water samples were collected from the discharge line of a down hole pump (after discharge of at least 3 well bore volumes of fluid) into 1 liter high density polyethylene (HDPE) cubitainers or narrow mouth bottles, labeled in the field, and shipped to laboratory from the office.					
Data Location(s)	Nye County Early Warning Drilling Program wells (NC-EWDP-09sx, -03s, and -01dx) and Bond Gold Mining (monitoring) well-13 at specified depths.					
Data Collection Period(s)	5/19/99 to 7/19/99					
Data Source(s)	Original laboratory analyses in RID 1388 and GMII field geochemistry notebook.					
Data Censuring	None					
Data Processing	Data reduction performed by Barringer Laboratories, Inc. (Golden, CO); data compiled into an MS Excel spreadsheet for distribution by D.L. Shettel of GMII.					
Data Limitations	Depth of pump below casing point is for a single screened interval of a piezometer well, or close to a sampling port of a packed off interval of a Westbay completion. 2 sigmas are given for statistical counts of radioactivity from detectors.					
Governing QA Docs.	TP-8.1					
Frequency of Transmittal	As required by PI					
Direct Questions About Data To-	Reina Downing					